


75
TO PROTECT
A LASS



POOLED

W RONE


OVER CAP
SAFER

HE UP
IN FIBRE
+ PROPS



POOLED

OVER FRONT
PEIR FIBRE
+ POOLED OVER





FILCH 7
LEANT HILL

TOTAL F LASS 71

EDGES SO I GET SOME ALLOW!

10.00 122 RB. $\frac{1}{2}$ " D SAW ~~NOT DISH WASH WASHED~~ W274 111 W274 NO BARECES
R4 7A-25H53m TD $\frac{1}{2}$ out SWAP SO BLADE BEHIND BOTTEN CENTRE
— 01700 100% H BD OUT ~~WATER~~ LEADSCREEN. 75
710 700 844 WEC. 47m R. ALL BUBBS ON. DEVIT BE
A CLASS COOKS OK BUT NOT COLED/SUMPTED DINO
958 741 844 START FLAT PRE BUBBLES V/A
1058 760 NO APPARENT CHANGE BOT! WHERE THE SPARKS/OBURNS MEET START SCUMP SCUMPTING
2.04 823 PRE BUBBS JUST START TO FORM FROM NOT FUSED GAPS. BUT STILL LONG THIN/WIDE
3.00 844 SOME LONG BUBBS COOK COOK BIG
5.54 844 900  FLATTED BUT BACK SQUARE NOT POLED BUBBS OK BOT NEED
→ 5.58 844 900 ON TO SOAK 940 TO MAKE RISE OF
→ 6.54 940 ON TO 980 - POOLING BUT NOT ENOUGH + BUBBS NEED TO RISE
DEVIT IN CENTRE IN 340 - LONG BIES. R/C
7.49 980 POOL OF BACK TOP NOT NEAR BACK TOP. BUBBS RISING PUT FINE SW
9.09 1000 POOL TO FRONT + TO BACK NOT AT BACK YET - NEAR POOL OVER TOP BACK
1 BIG BUBBLE AT TOP NEAR BURST - 1 BUBBLE LEFT ON NEAR BOTTOM
9.58 1000 @ 0 STILL THERE BUT MOVED UP A BIT - DEVIT INSIDE? COOLED
10.41-022 11-02 - G30 HOLDING V. SLOW RISE TR7 3M DWELL
9.34 437 SAT 80% R. TEMP 438 (30° H TRU 435) / 404-414-10.05 / 1221-334 / 1.00 319
151-297 / 234-280 / 3.02-270 RB OPEN $\frac{1}{2}$ " / 44343 244 / 4.14-229 / 505-209 RB
5.5 7-18 7.18 174 - GLASS COVERED WITH FOIL

DICRO NOT WORK TO THIN + TO NEAR TOGETHER
+ TO LOW. NEXT TRY CLEAN GLASS
D/W + ALL SAME CAMINATION $\equiv$ PASS SAW UP.
+ NOT POOL OUT DICRO.



DICRO PART
START. CORRECT SIZE SO NOT POOL OUT.

FIRING (FRONT)
 TOT FLATTERED
 OUT WELL

NEFT WASH
 LARÉÉ and
 FIRE FASTER AFTER
 FUZE BAPPEL
 + MUTTER?

LOTS VEL LIKE
 DEUT 0.1
 WITH NO VERTIC
 PEICES


W274 RESULT
 DEUT SCHWENKE TRAV
 W271/2 + NO BAPPEL
 + LONG 340 PEICES
 LOOK THROUGH RATH
 THAN ACCORD

POOLED OVER TOT FRONT
 FIBRE STOPPED
 POOLED OVER (BACK)
 AT FRONT

AT
 510m

POOLED
 OVER
 FRONT
 FIBRE
 (BACK)

WIDE 150/165
 FIBRE



SIZES VELME
 CRIBL